

PTO-1449 REPRODUCED

ATTORNEY DOCKET NO.
1884.1015-006DIVISIONAL OF APPLICATION NO.
09/310,507INFORMATION DISCLOSURE CITATION
IN AN APPLICATIONAPPLICANT
Neil J. Goldfine, et al.

FEB 08 2002

January 8, 2002

FILING DATE
May 12, 1999GROUP
2858

U.S. PATENT DOCUMENTS

| EXAM- INER INI- TIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUB- CLASS | FILING DATE IF APPROPRIATE |
|-------------------------------|----|-----------------|----------|-----------------|--------|---------------|----------------------------------|
| JRW | AA | 3,939,404 | 02-17-76 | Tait | 324 | 40224 | |
| JRW | AB | 4,058,766 | 11-15-77 | Vogel et al. | 324 | 61667 | |
| JRW | AC | 4,355,300 | 10-19-82 | Weber | 340255 | 146.3 | |
| JRW | AD | 4,423,371 | 12-27-83 | Senturia et al. | 324 | 61665 | |
| JRW | AE | 4,757,259 | 07-12-88 | Charpentier | 324 | 227 | |
| JRW | AF | 4,799,010 | 01-17-89 | Muller | 324 | 240 | |
| JRW | AG | 4,810,966 | 03-07-89 | Schmall | 324 | 207.17 | |
| JRW | AH | 4,814,690 | 03-21-89 | Melcher et al. | 324 | 61674 | |
| JRW | AI | 4,853,617 | 08-01-89 | Douglas et al. | 324 | 67 | |
| JRW | AJ | 4,912,414 | 03-27-90 | Lesky et al. | 324 | 329 | |
| JRW | AK | 4,922,201 | 05-01-90 | Vernon et al. | 324 | 236 | |

FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUB- CLASS | TRANSLATION YES NO |
|-----|----|-----------------|-------------|---------------------------------|-------|---------------|-----------------------|
| JRW | AL | 1095101 A | 1984 MAY 30 | Soviet Union (English Abstract) | G01R | 27/26 | |
| JRW | AM | 0 242 947 A2 | 28 OCT 87 | EPO | G01N | 27/40 | |
| JRW | AN | 2 031 155A | 16 APR 80 | Great Britain | G01R | 33/12 | |
| JRW | AO | WO 92-03090 | 05 MAR 92 | WO | AG1B | 5/06 | |
| JRW | AP | 0 723 166 A1 | 24 JUL 96 | EP | G01V | 3/08 | |
| JRW | AQ | 98/30921 | 16 JUL 98 | WO | G01V | 3/10 | |

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

| | |
|----|---|
| AR | Goldfine, Neil et al., "Dielectrometers and magnetometers, suitable for in-situ inspection of ceramic and metallic coated components," SPIE Conference, June 1995, 11 pages. |
| AS | Goldfine, Neil et al., "A New Eddy-Current Based Technology for Repeatable Residual Stress and Age Degradation Monitoring," ASNT International Chemical and Petroleum Industry Inspection Technology IV, Houston, TX June 19-22, 1995, 5 pages. |
| AT | Krampfner, Yehuda D. and Johnson, Duane D., "Flexible Substrate Eddy Current Coil Arrays," Review of Progress in Quantitative Nondestructive Evaluation, Vol 7A, 1988. pp 471-478. |

EXAMINER

DATE CONSIDERED

06/24/03

PTO-1449 "REPRODUCED"

ATTORNEY DOCKET NO.
1884.1015-006DIVISIONAL OF APPLICATION NO.
09/310,507INFORMATION DISCLOSURE CITATION
IN AN APPLICATION

January 8, 2002

APPLICANT
Neil J. Goldfine, et al.FILING DATE
May 12, 1999GROUP
2858

U.S. PATENT DOCUMENTS

| EXAM- INER INI- TIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUB- CLASS | FILING DATE IF APPROPRIATE |
|-------------------------------|-----|-----------------|----------|--------------------|-------|---------------|----------------------------------|
| JRW | AA2 | 5,015,951 | 05-14-91 | Melcher | 324 | 232 | |
| JRW | AB2 | 5,059,902 | 10-22-91 | Linder | 324 | 207.17 | |
| JRW | AC2 | 5,086,274 | 02-04-92 | Gobin et al. | 324 | 239 | |
| JRW | AD2 | 5,182,513 | 01-26-93 | Young et al. | 324 | 232 | |
| JRW | AE2 | 5,237,271 | 08-17-93 | Hedengren | 324 | 232 | |
| JRW | AF2 | 5,278,498 | 01-11-94 | Vernon et al. | 324 | 234 | |
| JRW | AG2 | 5,315,234 | 05-24-94 | Sutton, Jr. et al. | 324 | 242 | |
| JRW | AH2 | 5,345,514 | 09-06-94 | Mahdaviieh et al. | 382 | 152 | |
| JRW | AI2 | 5,363,051 | 11-08-94 | Jenstrom et al. | 324 | 661 | |
| JRW | AJ2 | 5,371,461 | 12-06-94 | Hedengren | 324 | 225 | |

FOREIGN PATENT DOCUMENTS

| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUB- CLASS | TRANSLATION YES NO |
|-----|-----|-----------------|-----------|---------|-------|---------------|-----------------------|
| JRW | AL2 | 98/40732 | 17 SEP 98 | WO | GOIN | 27/90 | |
| JRW | AM2 | 99/22231 | 06 MAY 99 | WO | GOIN | 27/72 | |
| JRW | AN2 | 93/11426 | 10 JUN 93 | WO | GOIN | 27/72 | |

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

| | |
|----|---|
| AU | Zaretsky, M. et al., "Modal Approach to Obtaining Continuum Properties From Inter-Digital Electrode Dielectrometry," Massachusetts Institute of Technology, Lees Technical Report, July 1986, pp. 1-43. |
| AV | Dodd, V.C. and Deeds, W.E., "Absolute Eddy-Current Measurement of Electrical Conductivity," From "Review of Progress in Quantitative Nondestructive Evaluation," Vol. 1, 1982, pp. 387-394. |
| AW | Dodd, C.V. and Simpson, W.A. "Measurement of Small Magnetic Permeability Changes by Eddy Current Techniques," presented at the National Fall Conference of the American Society for Nondestructive Testing, Oct. 19-22, 1970, pp. 217-221. |
| AX | Auld, B.A. et al., "Eddy-Current Signal Analysis and Inversion for Semielliptical Surface Cracks," Journal of Nondestructive Evaluation, Vol. 7, No. 1/2, 1988, pp. 79-94. |
| AY | Goldfine, Neil and Roach, Dennis, "Early Stage and Widespread Fatigue Damage Assessment for Aircraft Structures and Engines, Using a New Conformable Multiple-Frequency Eddy Current Sensor," ATA NDT Forum, Indianapolis, IN September 8-11, 1997, pp. 1-13. |

EXAMINER

R W

DATE CONSIDERED

06/24/02

| PTO-1449 REPRODUCED | | ATTORNEY DOCKET NO. 1884.1015-006 | | DIVISIONAL OF APPLICATION NO. 09/310,507 | | | |
|---|---|---------------------------------------|-----------|---|-------|---------------|----------------------------------|
| INFORMATION DISCLOSURE CITATION IN AN APPLICATION January 8, 2002 FEB 08 2002 PATENT & TRADEMARK OFFICE | | APPLICANT Neil J. Goldfine, et al. | | | | | |
| | | FILING DATE May 12, 1999 | | GROUP 2858 | | | |
| U.S. PATENT DOCUMENTS | | | | | | | |
| EXAM- INER INI- TIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUB- CLASS | FILING DATE IF APPROPRIATE |
| JRW | AK2 | 5,371,462 | 12-06-94 | Hedengren et al. | 324 | 225 | |
| JRW | AA3 | 5,389,876 | 02-14-95 | Hedengren et al. | 324 | 242 | |
| JRW | AB3 | 5,418,457 | 05-23-95 | Hedengren et al. | 324 | 225 | |
| JRW | AC3 | 5,453,689 | 09-26-95 | Goldfine et al. | 324 | 239 | |
| JRW | AD3 | 5,463,201 | 10-31-95 | Hedengren et al. | 219 | 121.83 | |
| JRW | AE3 | 5,485,084 | 01-16-96 | Duncan et al. | 324 | 225 | |
| JRW | AF3 | 5,541,510 | 07-30-96 | Danielson | 324 | 233 | |
| JRW | AG3 | 5,629,621 | 05-13-97 | Goldfine et al. | 324 | 239 | |
| JRW | AH3 | 5,293,119 | 03-08-94 | Podney | 324 | 242 | |
| JRW | AI3 | 5,223,796 | 06-29-93 | Waldman et al. | 324 | 687 | |
| JRW | AJ3 | 5,793,206 | 08-11-98 | Goldfine et al. | 324 | 242 | |
| FOREIGN PATENT DOCUMENTS | | | | | | | |
| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUB- CLASS | TRANSLATION YES NO |
| JRW | AO2 | 99/26062 | 27 MAY 99 | WO | G01N | 27/72 | |
| JRW | AP2 | WO 97/01739 | 16 JAN 97 | PCT | G01B | 1/00 | X |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | |
| AZ | Goldfine, Dr. Neil J., "Early Stage Fatigue Detection with Application to Widespread Fatigue Damage Assessment in Military and Commercial Aircraft," DOD/FAA/NASA Conference on Aging Aircraft, Ogden, UT, July 8-10, 1997, pp. 1-10. | | | | | | |
| AR2 | Goldfine, Neil J., "Magnetometers for Improved Materials Characterization in Aerospace Applications," Materials Evaluation, March 1993, pp. 396-405. | | | | | | |
| AS2 | Goldfine, Neil and Clark, David, "Near Surface Material Property Profiling for Determination of SCC Susceptibility," EPRI Balance-of-Plant Heat Exchanger NDE Symposium, Jackson Hole, WY, June 10-12, 1996. | | | | | | |
| AT2 | Morrison, Philip and Tsipis, Kosta, "New Hope in Minefields," Massachusetts Institute of Technology's Technology Review, ISSN 0040-1692, Vol. 100, No. 7, pp. 38-47. | | | | | | |
| EXAMINER <i>Jeffrey R. Wilson</i> | | | | DATE CONSIDERED 06/24/03 | | | |

| PTO-1449 REPRODUCED | | | | ATTORNEY DOCKET NO. 1884.1015-006 | | DIVISIONAL OF APPLICATION NO. 09/310,507 | |
|---|-----|---|----------|---------------------------------------|-------|---|----------------------------------|
| INFORMATION DISCLOSURE CITATION IN AN APPLICATION January 8, 2002 | | | | APPLICANT Neil J. Goldfine, et al. | | | |
| | | | | FILING DATE May 12, 1999 | | GROUP 2858 | |
| U.S. PATENT DOCUMENTS | | | | | | | |
| EXAM- INER INI- TIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUB- CLASS | FILING DATE IF APPROPRIATE |
| JRW | AK3 | 5,900,736 | 05/04/99 | Sovik et al. | 324 | 664 663 | |
| JRW | AA4 | 5,874,672 | 02/23/99 | Gerardi et al. | 73 | 170.26 | |
| JRW | AB4 | 5,459,406 | 10/17/95 | Louge | 324 | 688 | |
| JRW | AC4 | 5,436,565 | 07/25/95 | Gammell | 324 | 679 | |
| FOREIGN PATENT DOCUMENTS | | | | | | | |
| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUB- CLASS | TRANSLATION YES NO |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | |
| | AU2 | "Innovations in Quantitative Nondestructive Evaluation," JENTEK Sensors, Inc. Brochure, No Date Given. | | | | | |
| | AV2 | Goldfine, Neil et al., "Surface-Mounted Eddy-Current Sensors for On-Line Monitoring of Fatigue Tests and For Aircraft Health Monitoring," Second Joint NASA/FAA/DoD Conference on Aging Aircraft, August 1998, pp. 1-16. | | | | | |
| | AW2 | Goldfine, Neil, "Uncalibrated, Absolute Property Estimation and Measurement Optimization for Conducting and Magnetic Media Using Imposed ω-k Magnetometry," Doctoral Thesis, Cataloged into the Massachusetts Institute of Technology Libraries on October 6, 1992, pp. 1-139. | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| EXAMINER | | | | DATE CONSIDERED | | | |
| <i>[Signature]</i> | | | | 06/24/03 | | | |